

ICP Building Solutions Group (CAN)

Version No: 4.7

Safety Data Sheet according to WHMIS 2015 requirements

SECTION 1 IDENTIFICATION

Issue Date: 01/22/2020 Print Date: 01/31/2020 S.GHS.CAN.EN

Product Identifier

Product name	Fiberlock Advanced Peroxide Cleaner 8314	
Synonyms Not Available		
Other means of identification	Not Available	
Recommended use of the chemical and restrictions on use		
Relevant identified uses Mold and mildew stain remover		

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	ICP Building Solutions Group (CAN)	
Address	555 Bay St. North Hamilton, Ontario L8L 1H1 Canada	
Telephone	978-623-9980	
Fax	Not Available	
Website www.icpgroup.com		
Email	Email Not Available	

Emergency phone number

Association / Organisation	Chemtel
Emergency telephone numbers	1-800-255-3924
Other emergency telephone numbers	1-813-248-0585

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification Eye Irritation Category 2A, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation)

Label elements

Hazard pictogram(s) SIGNAL WORD WARNING Hazard statement(s) H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Physical and Health hazard(s) not otherwise classified

Not Applicable

Precautionary statement(s) General

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

Precautionary statement(s) Prevention

P271	Use only outdoors or in a well-ventilated area.	
P261	Avoid breathing mist/vapours/spray.	

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.	

Precautionary statement(s) Storage

P405	Store locked up.	
P403+P233 Store in a well-ventilated place. Keep container tightly closed.		

Precautionary statement(s) Disposal

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
7722-84-1	5-7.9	hydrogen peroxide
5324-84-5	0-5	1-octanesulfonic acid sodium salt
68439-46-3	0-5	alcohols C9-11 ethoxylated
29329-71-3	0-2	sodium 1-hydroxyethylidene diphosphonate

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

Eye Contac	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contac	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalatio	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Hydrogen peroxide at moderate concentrations (5% or more) is a strong oxidant.

- Direct contact with the eye is likely to cause corneal damage especially if not washed immediately. Careful ophthalmologic evaluation is recommended and the possibility of local corticosteroid therapy should be considered.
- Because of the likelihood of systemic effects attempts at evacuating the stomach via emesis induction or gastric lavage should be avoided.
- There is remote possibility, however, that a nasogastric or orogastric tube may be required for the reduction of severe distension due to gas formation

Fisher Scientific SDS

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.		
Special protective equipment and precautions for fire-fighters			
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. 		
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2) other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes. 		

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. 	
Major Spills	 Moderate hazard. Clear area of personnel and move upwind. For hydrogen peroxide: Dilute with large quantities of water (at least ten (10) times the volume of hydrogen peroxide). Sodium bicarbonate may be used to accelerate breakdown.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling	
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. DO NOT allow clothing wet with material to stay in contact with skin
Other information	

Conditions for safe storage, including any incompatibilities

Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Hydrogen peroxide containing/ generating materials requiring rigid packaging. Store in: containers with vented lids.
Storage incompatibility	 Hydrogen peroxide is a powerful oxidiser contamination or heat may cause self accelerating exothermic decomposition with oxygen gas and steam release - this may generate dangerous pressures - steam explosion. reacts dangerously with rust, dust, dirt, iron, copper, acids, metals and salts, organic material. None known

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL) INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes

Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	hydrogen peroxide	Hydrogen peroxide	1 ppm / 1.5 mg/m3	2.8 mg/m ppm	13 / 2	Not Available	Not Availab	le	
Canada - Nova Scotia Occupational Exposure Limits	hydrogen peroxide	Hydrogen peroxide	1 ppm	Not Avail	able	Not Available	TLV Basis: skin irritatio	eye, upper respiratory tract & n	
Canada - Alberta Occupational Exposure Limits	hydrogen peroxide	Hydrogen peroxide	1 ppm / 1.4 mg/m3	Not Avail	able	Not Available	Not Availab	le	
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	hydrogen peroxide	Hydrogen peroxide	1 ppm	2 ppm		Not Available	Not Availab	le	
Canada - Manitoba Occupational Exposure Limits	hydrogen peroxide	Not Available	1 ppm	Not Avail	able	Not Available	TLV® Basis	:: Eye, URT, & skin irr	
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)	hydrogen peroxide	Hydrogen peroxide	1 ppm / 1.4 mg/m3	Not Avail	able	ole Not Available Not Availab		le	
Canada - Northwest Territories Occupational Exposure Limits (English)	hydrogen peroxide	Hydrogen peroxide	1 ppm	2 ppm		Not Available Not Availa		lot Available	
Canada - British Columbia Occupational Exposure Limits	hydrogen peroxide	Hydrogen peroxide	1 ppm	Not Avail	able	ble Not Available Not Availa		le	
Canada - Prince Edward Island Occupational Exposure Limits	hydrogen peroxide	Hydrogen peroxide	1 ppm	Not Avail	lable Not Available		TLV® Basis	:: Eye, URT, & skin irr	
EMERGENCY LIMITS									
Ingredient	Material name		TEEL-1			TEEL-2		TEEL-3	
hydrogen peroxide	Hydrogen peroxid	е	Not Available			Not Available		Not Available	
Ingredient	Original IDLH				Revi	ised IDLH			
hydrogen peroxide	75 ppm	75 ppm			Not Available				
1-octanesulfonic acid sodium salt	Not Available	Not Available			Not A	Available			
alcohols C9-11 ethoxylated	Not Available				Not Available				
sodium 1-hydroxyethylidene diphosphonate	Not Available				Not A	Available			

OCCUPATIONAL EXPOSURE BANDING

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit		
1-octanesulfonic acid sodium salt	E	≤ 0.01 mg/m³		
alcohols C9-11 ethoxylated	≤ 0.1 ppm			
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.			

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
Personal protection	
Eye and face protection	 Safety glasses with side shields. Chemical goggles.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Where hydrogen peroxide exposure may occur do NOT wear PVA gloves. DO NOT use leather or cotton gloves, leather shoes as spill may cause fire.
Body protection	See Other protection below
Other protection	 ► Overalls. ► P.V.C.

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.

- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Text		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	7.5-8.5	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Solutions of hydrogen peroxide slowly decompose, releasing oxygen, and so are often stabilised by the addition of acetanilide, etc.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Not normally a hazard due to non-volatile nature of product
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual. Hydrogen peroxide may cause blistering and bleeding from the throat and stomach. When swallowed, it may release large quantities of oxygen which could hyper-distend the stomach and gut and may cause internal bleeding, mouth and throat burns and rupture of the gut.
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. Hydrogen peroxide is used topically as dental gel and to clean minor wounds. It may cause dose dependent effect on the skin including bleaching, blistering, reddening and corrosion (at >50% concentration).
Eye	This material can cause eye irritation and damage in some persons. Hydrogen peroxide concentrations above 10% are corrosive to the eye and may cause corneal ulceration even days after exposure.
Chronic	Repeated or long-term occupational exposure is likely to produce cumulative health effects involving organs or biochemical systems. Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems. Ample evidence from experiments exists that there is a suspicion this material directly reduces fertility.

There has been some concern that this material can cause cancer or mutations but there is not enough data to make an assessment. Hydrogen peroxide as a human food additive is generally regarded as safe, when used with certain limitations. In experimental animals hydrogen peroxide given by mouth causes damage to the teeth, liver, kidney, stomach and bowel.

Fiberlock Advanced Peroxide	TOXICITY	IRRITATION	
Cleaner 8314	Not Available	Not Available	
	ΤΟΧΙϹΙΤΥ	IRRITATION	
hydrogen peroxide	dermal (rat) LD50: >2000 mg/kg ^[2]	Not Available	
	Inhalation (rat) LC50: 2 mg/l/4H ^[2]		
	Oral (rat) LD50: >225 mg/kg ^[2]		
	TOXICITY	IRRITATION	
-octanesulfonic acid sodium salt	Not Available	Eye: adverse effect observed (irreversible damage) ^[1]	
Sait		Skin: adverse effect observed (corrosive) ^[1]	
	ΤΟΧΙϹΙΤΥ	IRRITATION	
	Dermal (rabbit) LD50: >2000 mg/kg ^[2]	Eye (human): SEVERE	
alcohols C9-11 ethoxylated	Oral (rat) LD50: 1378 mg/kg ^[2]	Eye: adverse effect observed (irritating) ^[1]	
		Skin: no adverse effect observed (not irritating) ^[1]	
		Skin: SEVERE	
sodium 1-hydroxyethylidene	ΤΟΧΙΟΙΤΥ	IRRITATION	
diphosphonate	Oral (rat) LD50: ~3400 mg/kg ^[1]	Not Available	
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		

HYDROGEN PEROXIDE	Exposure to hydrogen peroxide via the skin or oral route can produce toxic effects kidney, gut, thymus and liver. The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing.	. Animal studies have shown evidence of damage to the						
1-OCTANESULFONIC ACID SODIUM SALT	Secondary alkyl sulfonate anionic surfactants (SAS) are readily absorbed after or of causing serious damage to eyes.	al administration. They can cause skin irritation and are at risk						
ALCOHOLS C9-11 ETHOXYLATED	mixtures of oxidation products. Animal testing reveals that whole the pure, non-oxidised surfactant is non-sensitia Humans have regular contact with alcohol ethoxylates through a variety of indust cleaning products. Exposure to these chemicals can occur through swallowing, in Both laboratory and animal testing has shown that there is no evidence for alcoho cancer. No adverse reproductive or developmental effects were observed. Tri-ethylene glycol ethers undergo enzymatic oxidation to toxic alkoxy acids. They The material may produce severe irritation to the eye causing pronounced inflame produce conjunctivitis. The material may cause severe skin irritation after prolonged or repeated exposu	tolyethers (such as ethoxylated surfactants and polyethylene glycols) are highly susceptible to being oxidized in the air. They then form complex nixtures of oxidation products. Inimal testing reveals that whole the pure, non-oxidised surfactant is non-sensitizing, many of the oxidation products are sensitisers. Itumans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other leaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. Ito haboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or ancer. No adverse reproductive or developmental effects were observed. Tri-ethylene glycol ethers undergo enzymatic oxidation to toxic alkoxy acids. They may irritate the skin and the eyes. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may						
SODIUM 1-HYDROXYETHYLIDENE DIPHOSPHONATE	Animal testing to date have not shown phosphonic acids or their salts to induce skin sensitisation. However, testing has been incomplete. < * acid form [Monsanto]							
Fiberlock Advanced Peroxide Cleaner 8314 & HYDROGEN PEROXIDE & 1-OCTANESULFONIC ACID SODIUM SALT	Asthma-like symptoms may continue for months or even years after exposure to known as reactive airways dysfunction syndrome (RADS) which can occur after e							
Fiberlock Advanced Peroxide Cleaner 8314 & 1-OCTANESULFONIC ACID SODIUM SALT	For alkyl sulfates; alkane sulfonates and alpha-olefin sulfonates Most chemicals of this category are not defined substances, but mixtures of homo biological pathways result in structurally similar breakdown products, and are, tog environmental behavior and essentially identical hazard profiles with regard to hu Acute toxicity: These substances are well absorbed after ingestion; penetration th	ether with the surfactant properties, responsible for similar nan health.						
HYDROGEN PEROXIDE & 1-OCTANESULFONIC ACID SODIUM SALT	No significant acute toxicological data identified in literature search.							
Acute Toxicity	× Carcino	enicity X						
Skin Irritation/Corrosion	× Reprod	uctivity ×						
Serious Eye Damage/Irritation	✓ STOT - Single E>	posure 🗸						
Respiratory or Skin sensitisation	× STOT - Repeated Ex	posure X						
Mutagenicity	× Aspiration	Hazard 🗙						

Legena:

👗 – Data either not available or does not illi the criteria for classification

✓ – Data available to make classification

SECTION 12 ECOLOGICAL INFORMATION

	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
Fiberlock Advanced Peroxide Cleaner 8314	Not Available	Not Available	Not Available	Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.020mg/L	3
	EC50	48	Crustacea	2mg/L	2
hydrogen peroxide	EC50	72	Algae or other aquatic plants	0.71mg/L	4
	EC0	24	Crustacea	1.1mg/L	2
	NOEC	192	Fish	0.028mg/L	4
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURC
	LC50	96	Fish	>100mg/L	2
-octanesulfonic acid sodium salt	EC50	48	Crustacea	421mg/L	2
Sait	EC50	72	Algae or other aquatic plants	>100mg/L	2
	NOEC	72	Algae or other aquatic plants	100mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURC
	LC50	96	Fish	8.5mg/L	4
ala ah ala CO 44 ath ann iata d	EC50	48	Crustacea	2.5mg/L	2
alcohols C9-11 ethoxylated	EC50	96	Algae or other aquatic plants	1.4mg/L	2
	EC20	72	Algae or other aquatic plants	0.711mg/L	2
	NOEC	240	Fish	0.16mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURC
sodium 1-hydroxyethylidene	LC50	96	Fish	2-180mg/L	2
diphosphonate	EC50	48	Crustacea	1-770mg/L	2
	NOEC	504	Crustacea	0.1mg/L	2

V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

For hydrogen peroxide:log Kow: -1.36:

Environmental Fate: Hydrogen peroxide is a naturally occurring substance (typical background concentrations < 1 - 30 g/l), which is produced by almost all cells in their metabolism, with the exception of anaerobic bacteria. Hydrogen peroxide is a reactive substance in the presence of other substances, elements, radiation, materials and can be degraded by micro-organisms or higher organisms.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
hydrogen peroxide	LOW	LOW
1-octanesulfonic acid sodium salt	HIGH	HIGH

Bioaccumulative potential

Ingredient	Bioaccumulation	
hydrogen peroxide	LOW (LogKOW = -1.571)	
1-octanesulfonic acid sodium salt	LOW (LogKOW = 1.056)	

Mobility in soil

Ingredient	Mobility	
hydrogen peroxide	LOW (KOC = 14.3)	
1-octanesulfonic acid sodium salt	LOW (KOC = 38.04)	

SECTION 13 DISPOSAL CONSIDERATIONS

Product / Packaging disposal	 Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
------------------------------	---

SECTION 14 TRANSPORT INFORMATION

Labels Required	
Marine Pollutant	NO
Land transport (TDG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS	

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

HYDROGEN PEROXIDE IS FOUND ON THE FOLLOWING REGULATORY LISTS

HTDROGEN PEROXIDE IS FOUND ON THE FOLLOWING REGULATORY LISTS		
Canada - Alberta Occupational Exposure Limits	Canada Forensic Identification Services Chemical Carcinogenicity Evaluation - Table 1	
Canada - British Columbia Occupational Exposure Limits	- Chemicals Considered for Assessment	
Canada - Manitoba Occupational Exposure Limits	Canada Toxicological Index Service - Workplace Hazardous Materials Information	
Canada - Northwest Territories Occupational Exposure Limits	System - WHMIS GHS (English)	
Canada - Nova Scotia Occupational Exposure Limits	Canada Transport Dangerous Goods - Schedule 1	
Canada - Prince Edward Island Occupational Exposure Limits	Canada Transport Dangerous Goods - Schedule 3	
Canada - Prince Edward Island Occupational Exposure Limits - Carcinogens	GESAMP/EHS Composite List - GESAMP Hazard Profiles	
Canada - Quebec Permissible Exposure Values for Airborne Contaminants	IMO IBC Code Chapter 17: Summary of minimum requirements	
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination	IMO MARPOL (Annex II) - List of Noxious Liquid Substances Carried in Bulk	
Limits	International Agency for Research on Cancer (IARC) - Agents Classified by the IARC	
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	Monographs	
Canada Categorization decisions for all DSL substances	International Air Transport Association (IATA) Dangerous Goods Regulations	
Canada Domestic Substances List (DSL)	International Air Transport Association (IATA) Dangerous Goods Regulations -	
	Prohibited List Passenger and Cargo Aircraft	
	International Maritime Dangerous Goods Requirements (IMDG Code)	
	United Nations Recommendations on the Transport of Dangerous Goods Model	
	Regulations	

1-OCTANESULFONIC ACID SODIUM SALT IS FOUND ON THE FOLLOWING REGULATORY LISTS

Canada Categorization decisions for all DSL substances Canada Domestic Substances List (DSL)

ALCOHOLS C9-11 ETHOXYLATED IS FOUND ON THE FOLLOWING REGULATORY LISTS

Canada Categorization decisions for all DSL substances	International Air Transport Association (IATA) Dangerous Goods Regulations
Canada Domestic Substances List (DSL)	International Maritime Dangerous Goods Requirements (IMDG Code)
Canada Transport Dangerous Goods - Schedule 1	United Nations Recommendations on the Transport of Dangerous Goods Model
Canada Transport Dangerous Goods - Schedule 3	Regulations

SODIUM 1-HYDROXYETHYLIDENE DIPHOSPHONATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Canada Categorization decisions for all DSL substances	International Air Transport Association (IATA) Dangerous Goods Regulations
Canada Domestic Substances List (DSL)	International Maritime Dangerous Goods Requirements (IMDG Code)
Canada Transport Dangerous Goods - Schedule 1	United Nations Recommendations on the Transport of Dangerous Goods Model
Canada Transport Dangerous Goods - Schedule 3	Regulations

National Inventory Status

National Inventory	Status		
Australia - AICS	Yes		
Canada - DSL	Yes		
Canada - NDSL	No (hydrogen peroxide; 1-octanesulfonic acid sodium salt; sodium 1-hydroxyethylidene diphosphonate; alcohols C9-11 ethoxylated)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	No (alcohols C9-11 ethoxylated)		
Japan - ENCS	No (alcohols C9-11 ethoxylated)		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		

USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	No (sodium 1-hydroxyethylidene diphosphonate)		
Vietnam - NCI	Yes		
Russia - ARIPS	No (alcohols C9-11 ethoxylated)		
Legend:	Legend: Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets		

SECTION 16 OTHER INFORMATION

Revision Date	01/22/2020
Initial Date	03/20/2017

CONTACT POINT

PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES

SDS Version Summary

Version	Issue Date	Sections Updated
3.7.1.1.1	01/22/2020	Acute Health (inhaled), Acute Health (skin), Acute Health (swallowed), Chronic Health, Classification, Environmental, First Aid (swallowed), Ingredients, Personal Protection (Respirator), Personal Protection (hands/feet), Spills (major), Spills (minor), Supplier Information, Use

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.

end of SDS