







For over 35 years, Fiberlock Technologies has been the leading manufacturer of products used to address environmental, safety and health hazards. Founded on the core beliefs that superior quality, definitive science and enduring service

are the keys to corporate success, Fiberlock has grown to become one of the most respected names in the abatement and remediation industry.

From asbestos, lead or mold to disaster restoration and dust control, Fiberlock has the expertise, insight and product to help you get the job done quickly, effectively and economically. Whatever requirements you may have, turn to the leader. Turn to Fiberlock.









Founded over 20 years ago, Benefect is a world recognized leader in botanical antimicrobial technology in the restoration & remediation industry. Taking nature's way of killing germs with no compromise in strength; no risk to human health or our environment.

In nature, plants produce germ-killing 'essential oils' to protect themselves from invading microbes, like how our bodies produce antibodies for our protection. Benefect is a revolutionary blend of these antimicrobial extracts, from botanical essential oils, and achieves remarkable efficacy ...without using any traditional synthetic chemicals.

This groundbreaking botanical technology is proven to kill over 99.99% of bacteria & surpasses the U.S. Environmental Protection Agency and Health Canada's efficacy requirements for broad spectrum hospital disinfectants.

THE FIRST & ONLY CERTIFIED AUTHENTICALLY BOTANICAL DISINFECTANT TECHNOLOGY.

Visit our website to learn more about why Benefect

technologies were formulated...







Fiber TECHNOLOG	lock sies	
SKU	DESCRIPTION	SIZE
(*)		
Mold Remedia	ation:	
8314-1	Advanced Peroxide Cleaner - Mold & Mildew Stain Remover	1G (4/Case)
8314-Q	Advanced Peroxide Cleaner - Mold & Mildew Stain Remover	1Q (12/Case)
8314-2.5	Advanced Peroxide Cleaner - Mold & Mildew Stain Remover	2.5G (2/Case)
8313-Q	HydroBoost - APC Additive	1Q (12/Case)
8315-5	IAQ 1000 - Hydrogen Peroxide Stain Remover	5G
8317-1	Instant Stain Remover	1G (4/Case)
8390-1*	AfterShock - EPA Registered Fungicidal Coating - White	1G (4/Case)
8390-5*	AfterShock - EPA Registered Fungicidal Coating - White	5G
8320-1*	IAQ 2000 - Conc. Disinfectant	1G (4/Case)
8325-5*	IAQ 2500 - Ready To Use Disinfectant	5G
8311-10oz*	ShockWave - Conc. Disinfectant/Sanitizer	10oz. (24/Case)
8310-1*	ShockWave - Conc. Disinfectant/Sanitize	1G (4/Case)
8310-5*	ShockWave - Conc. Disinfectant/Sanitizer	5G
8316-1*	ShockWave RTU - Ready To Use Disinfectant/Sanitizer	1G (4/Case)
8316-5*	ShockWave RTU - Ready To Use Disinfectant/Sanitizer	5G
8316-55*	ShockWave RTU - Ready To Use Disinfectant/Sanitizer	55G
8316-TP*	ShockWave RTU - Ready To Use Disinfectant/Sanitizer	275G
8380-5	IAQ 8000 - HVAC Insulation Sealer - White	5G
8385-5	IAQ 8500 - HVAC Insulation Sealer - Black	5G
8360-5	IAQ 6000 - Mold Resistant Coating - White	5G
8361-5	IAQ 6100 - Mold Resistant Coating - Clear	5G
8362-5	IAQ 6000HD - Heavy Duty Mold Resistant Coating - White	5G
8363-5	IAQ 6040 - Penetrating Mold Resistant Sealant - Violet	5G
Asbestoes Ab	atement:	
6422-5	ABC - Bridging Encapsulant - Clear	5G
6423-5	ABC - Bridging Encapsulant - Green	5G
6421-5	ABC - Bridging Encapsulant - Off White	5G
6410-8oz-C12	ABC Fiberspray - ABC Spray can - White	8oz. (12/Case)
7480-5	Fiberset PM - UL Classified Lockdown - Blue	5G
7475-5	Fiberset PM - UL Classified Lockdown - Clear	5G
7475-TP	Fiberset PM - UL Classified Lockdown - Clear	275G
7470-5	Fiberset PM - UL Classified Lockdown - White	5G
6450-5	Penewet - Surfactant	5G
6450-55	Penewet - Surfactant	55G
6497-5	TBC - Transite Barrier Compound	5G
6424-5	Lag-Kote - Int/Ext Lagging/Bridging Encapsulant	5G
6420-2	Lag-Kote II - Bridging/No UV/Rust Inhibitors	2G
6420-5	Lag-Kote II - Bridging/No UV/Rust Inhibitors	5G
6439-U	Klean Pop - Collapsible Decontamination Shower	Unit
2419-5	SERPI-Mastic Sprayable - High Temp Encapsulant - Off	5G
2420-10L	SERPI-Coat - White	10LTR
2422-10L	SERPI-Coat - Black	10LTR
2432-U	SERPI Wet-Wrap 'N' Seal - Wet-Wrap 'N'Seal	4" x 9' Roll (60/Case
2433-U	SERPI Wet-Wrap 'N' Seal - Wet-Wrap 'N'Seal	6" x 9' Roll (40/Case
2451-5	SERPI-Flex - Asbestos Encapsulant - White	5G
2451-55	SERPI-Flex - Asbestos Encapsulant - White	55G
Lead Abatem		
5470-5	Lead Shield - Post Removal Lockdown - Clear	5G
5600-1	ChildGuard - Retail Lead Encapsulant - White	1G (4/Case)
5800-5	LBC Type III - Industrial Lead Encapsulant - Antique Linen	5G
5801-1	LBC Type III - Industrial Lead Encapsulant - White	1G (4/Case)
5801-5	LBC Type III - Industrial Lead Encapsulant - White	5G
5801-55	LBC Type III - Industrial Lead Encapsulant - White	55G
5802-5	LBC Type III - Industrial Lead Encapsulant - Black	5G
5496-Q	LeadSafe Cleaner - Lead Dust Cleaner	1Q (12/Case)
5496-1	LeadSafe Cleaner - Lead Dust Cleaner	1G (4/Case)
5498-90C	LeadSafe Wipes - TSP Wipes	90 Wipes (6/Case)
2801-5	SERPI Barrier Coat II - Industrial Lead Encapsulant - White	5G
	ance Industrial Coatings & Primers: Industrial Primers	
5450-5	Power Block - Interior/Exterior Stain Blocking Primer	5G
6408-5	Grip-Tack - Multi-purpose Adhesive & Demolition Lockdown	5G
	ance Removal Products: Paint Removers	
5702-5	NexStrip 8 - Extreme Duty Self Skinning Caustic Paint Remover	5G
5701-5	NexStrip PRO - Maximum Strength Dual-Action Paste Paint Stripper	5G

Fiberlock

SKU	DESCRIPTION	SIZE
● (*)		
Disaster Restorat	ion:	
3090-5	RECON - Smoke Odor Sealer - White	5G
3091-5	RECON - Smoke Odor Sealer - Clear	5G
3092-1	RECON - Ultra Smoke Odor Sealer - White	1G (4/Case)
3092-5	RECON - Ultra Smoke Odor Sealer - White	5G
3093-1	RECON - Ultra Smoke Odor Sealer - Clear	1G (4/Case)
3093-5	RECON - Ultra Smoke Odor Sealer - Clear	5G
3041-1	RECON - Extreme Duty Odor Counteracant	1G (4/Case)
Mobile Containm	ent:	
6546-U	Advanced Enclosure (8') -	Unit
6544-U	TopSider Enclosure (10') -	Unit
6547-U	Advanced Enclosure (10') -	Unit
6541-U	UniFrame (8') - For 8' Units	Unit
6540-U	UniFrame (10') - For 10' Units	Unit
6574-U	UniFrame Pole (8' & 10') - UniFrame Pole	Unit
6500-U	HardPanel Unit	Unit
6549-U	HardPanel Enclosure - Replacement Part	Unit
6543-U	Kontrol Kube Wheelbase	Unit
6542-U	Kontrol Kube Airbase	Unit
6560-U	Negative Air Machine	Unit
6561-U-C8	Hepa Filter - For use with 6560	Unit (8/Case)
6562-U-C12	Pre-Filter - For use with 6560	Unit (12/Case)
6563-U-C4	Carbon Filter - For use with 6560	Unit (4/Case)
6564-U-C4	DOP Stage 2 Filter - For use with 6560	Unit (4/Case)

Benefect

SKU		DESCRIPTION	SIZE
	(*)		
Botanica	l Disinfecta	ints & Cleaners:	
20376	50376	6" x 7" Biodegradable Wipes (250 ct)	Pail (250 ct)
20476	50476	Decon 30 Jug	1 Gal Jug
20276	N/A	Decon 30 Pail	5 Gal Pail
22076	52076	Decon 30 Drum	55 Gal Drum
22776	N/A	Decon 30 Tote	275 Gal
21276	51276	Decon 30 Pump Spray	4oz
20475	50475	Botanical Disinfectant Jug	1 Gal
20275	50275	Botanical Disinfectant Pail	5 Gal Pail
22075	52075	Botanical Disinfectant Drum	55 Gal Drum
30475	30475	Multi-Purpose Cleaner Jug	1 Gal
60475	60475	Impact™ Carpet & Fabric Cleaner Jug	1 Gal
80475	80475	Atomic™ Fire & Soot Degreaser Jug	1 Gal
80275	80275	Atomic™ Fire & Soot Degreaser Pail	5 Gal
82075	82075	Atomic™ Fire & Soot Degreaser Drum	55 Gal Drum
82575	82575	Evergreen A44 Jug	2.5 Gal
40475	40475	Benefect Quantum Jug	1 Gal

CERTIFICATIONS:









CLEAN.





1 20476 50476

50275

51276

1 20276

| 22776





ADVANCED PEROXIDE CLEANER **BLEACH-FREE STAIN REMOVER & CLEANER**

This unmatched performance formula aggressively removes stains from mold and mildew* on porous, semi-porous, and non-porous materials.

- Dye and perfume free
- Deep penetrating stain-lifting action
- Provides maximum labor savings
- Not DOT regulated
- IDEAL FOR: mold remediation, sewage/water restoration

AVAILABLE SIZES:

	4	(*)
Quart	I	8314-Q
Gallon	1	8314-1
.5 Gallon	1	8314-2.5
Quart (bydroboost)	1	0212 (





ATOMIC DEGREASER **BOTANICAL, HEAVY DUTY CLEANER**

High performance cleaner/degreaser formulated to seek and remove particulate at the atomic level without using hazardous synthetic chemicals.

- All natural ingredients
- Biodegradable & safe
- No solvents, unnecessary fragrances, dyes, petrochemicals, phosphates, EDTA, NTA or other hazardous ingredients
- fire/soot, biohazard & storm cleanup (for surfaces & contents)

AVAILABLE SIZES:

	∰ (♦)
	80475
ail	80275

1 Gallon	1	80475
5 Gallon Pail	-	80275
55 Gallon Drum	-	82075

IDEAL FOR: oily/greasy residue jobs,





Ask us about our specialized cleaners to meet all of your difficult jobs.





DECON 30 & BOTANICAL WIPES

1 Gallon

5 Gallon

2.75 Gallon

55 Gallon Drum | 22076

4 oz. Pump Spray | 21276

Wipes (250 ct) | 20376 50376

AVAILABLE SIZES:

55 Gallon Drum | 22075 | 52075

AVAILABLE SIZES: (

10 oz. 1 Gallon

5 Gallon

1 Gal (RTU)

5 Gal (RTU)

5 Gallon Pail

1 20475

1 20275

| 8311-10oz | 8310-1

8310-5

| 8316-1 | 8316-5

8316-55

HOSPITAL-GRADE DISINFECTANT AND CLEANER

One-step disinfectant/cleaner specifically formulated and ideal for water damage restoration jobs. **AVAILABLE SIZES:**

- Kills over 99.99% of bacteria in 30 seconds!
- Certified by the USDA as 100% biobased
- No synthetic fragrances, dyes or bleach
- No rinsing or wiping required
- IDEAL FOR: Water Damage (Cat 1-3), Catastrophic Storm Events & Mold, Commercial Cleaning, Carpet Sanitizing & Deodorizing, PPE & Equipment Decontamination & Contents Cleaning





BOTANICAL DISINFECTANT

BOTANICAL CLEANING & DISINFECTION SOLUTION

This patented technology is proven to kill over 99.99% of bacteria on hard, non-porous surfaces, with broad spectrum efficacy.

- Certified by the USDA as 100% biobased
- No health warnings, no PPE required
- No rinse or wipe required
- Compliant with OSHA Bloodborne Pathogen Standard
- IDEAL FOR: Biohazard, Trauma Scene, Water Damage (Cat 1-3), Catastrophic Storm Events & Mold





SHOCKWAVE CONCENTRATE EPA REGISTERED DISINFECTANT, SANITIZER & CLEANER

EPA-registered disinfectant, sanitizer & cleaner designed for use on various surfaces subject to microbial contamination, ideal for flooding and mold remediation.

- Effective in 98% soil load
- Over 130 organism kill claims
- Sanitizes porous & disinfects non-porous materials
- Also available in Ready-To-Use
- 55 Gal (RTU) IDEAL FOR: Water Damage (Cat 1-3), 275 Gal (RTU) | 8316-55TP Catastrophic Storm Events & Mold, Commercial Cleaning, Carpet Sanitizing & Deodorizing, PPE & Equipment Decontamination & Contents Cleaning





ABATEMENT & HVAC







MOLD RESISTANT COATING*

ULTRA LOW VOC MOLD RESISTANT COATING

This 100% acrylic coatings contain a fungistatic agent to resist mold growth on the dry coating surface. Available in white and clear.

- Mold resistant Coating*, tested ASTM G-21
- Spears & FBC system compatible: CPVC (Lubrizol, BlazeMaster, Corzon, FlowGuard)
- VOC compliant in 50 states
- Available in white (IAQ 6000) & Clear (IAQ 6100)

AVAILABLE SIZES:

5 Gallon (white) | 8360-5

5 Gallon (*clear*) | 8361-5



These solvent-free sealers are designed to eliminate malodors on multiple surfaces and block tough staining.





- Great for porous materials such as fireproofing and insulation
- Meets NFPA 90a/90b for use in HVAC systems
- Thin coating (3 dry mils)/ high viscosity

AVAILABLE SIZES:	● (*)
5 Gallon (white)	3090-5
5 Gallon (clear)	3091-5
1 Gallon (extreme duty)	3041-1

RECON

- Used as a stain blocking primer
- Ideal for finished and decorative surfaces
- Spears & FBC system compatible: CPVC
- 10 dry mils

1 Gal (ULTRA white) 3092- 5 Gal (ULTRA white) 3092-	
1 Gal (ULTRA clear) 3093- 5 Gal (ULTRA clear) 3093-	5





This 100% acrylic coating offers the ultimate combination of durability, application ease and fungal-resistance to address mold growth in nearly any situation.

- EPA registered fungicidal coating
- Kills and prevents mold and mildew
- 100% acrylic coating
- FBC system compatible







ABCASBESTOS BINDING COMPOUND

Hight solids asbestos encapsulant/sealant, designed to encapsulate friable asbestos containing material such as fireproofing and insulation material.

- Encapsulates fireproofing & soil
- Class A fire rated
- Exceeds EPA standards for encapsulation
- Non-flammable

AVAILABLE SIZES:			
	● (*)		
5 Gallon (white)	6421-5		
5 Gallon (green)	6423-5		
5 Gallon (clear)	6422-5		
8 oz. (spray/white)	l 6410-8oz-C12		





LBC - LEAD BARRIER COMPOUND

PROFESSIONAL LEAD ENCAPSULANT

Forms a barrier between lead based paint and the environment, serving as a permanent method for abatement of lead based paint.

- Forms a durable yet flexible seal
- UL Classified
- Class A fire rated
- For use in all 50 states

711711271221201			
		● (*)	
1 Gallon (white)		5801-1	
5 Gallon (white)		5801-5	
5 Gallon (black)		5802-5	
5 Gallon (antique linen)		5800-5	
55 Gallon (white)		5801-55	

ΔΛΛΙΙ ΔΕΙ Ε 217Ε2





IAQ 8000 HVAC INSULATION SEALER

Trusted for use in duct work, to bridge and reinforce duct liner or duct board insulation materials, and to seal unlined duct work.

- High viscosity for maximum bridging ability
- Reduces sagging and dripping
- Meets NFPA 90A/90B
- Resists mold growth*

*Resistant to mold growth on the dry coating surface only

SOLUTIONS FOR CHALLENGING PROJECTS.

Whether you are dealing with asbestos, lead, mold, fire/water damage, disaster restoration, trauma scene clean-up or dust control, Fiberlock & Benefect have the expertise, insight and products.











www.fiberlock.com



www.benefect.com

Scan code to view online





150 Dascomb Rd., Andover, MA 01810 • 1.866.667.5119 • icpgroup.com

©2024 Fiberlock, Benefect and other marks on this brochure are trademarks of ICP.